



Automatización Eléctrica
Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking [HERE](#). [HERE](#)


COLOUR CODED COPPER CRIMPING LUGS



double hole long barrel for Copper conductors



File no. E125401



CL-D

Cond. Size sqmm	Conductor AWG	Ø Stud mm	Ref.	Dimensions mm							Colour Code	Quantity Box/Bag	Mechanical Tools	Hydraulic Tools
				Øi	B	M	E	N	L	d				
10	8	23	6 CL8-D14	4,6	11,0	7,0	16,0	6,0	53,0	6,4	RED	400/50	B15MD	
			6 CL8-D141	4,6	11,0	7,0	19,0	6,0	56,0	6,4	RED	400/50		
			10 CL8-D38	4,6	18,0	11,0	25,5	10,0	70,5	10,5	RED	400/50		
16	6	23	6 CL6-D14	5,8	11,5	7,0	16,0	6,0	54,5	6,4	BLUE	400/50	B15MD	
			6 CL6-D141	5,8	11,5	7,0	19,0	6,0	57,5	6,4	BLUE	400/50		
			10 CL6-D38	5,8	18,0	11,0	25,5	10,0	72,0	10,5	BLUE	400/50		
25	4	40	12 CL6-DN	5,8	20,0	14,0	44,5	12,0	96,0	13,2	BLUE	400/50	B15MD	
			6 CL4-D14	6,2	12,5	7,0	16,0	6,0	62,0	6,4	GREY	200/50		
			6 CL4-D141	6,2	12,5	7,0	19,0	6,0	65,0	6,4	GREY	200/50		
25	4	40	10 CL4-D38	6,2	18,0	11,0	25,5	10,0	79,5	10,5	GREY	200/50	B15MD	
			12 CL4-DN	6,2	20,0	14,0	44,5	12,0	103,5	13,2	GREY	200/50		
			10 CL3-D38	7,0	18,0	11,0	25,5	10,0	79,5	10,5	WHITE	200/50		
35	2	60	12 CL3-DN	7,0	21,0	14,0	44,5	12,0	103,5	13,2	WHITE	200/50	B15MD	
			6 CL2-D14	7,6	17,0	7,0	16,0	6,0	61,0	6,4	BROWN	200/50		
			6 CL2-D141	7,6	17,0	7,0	19,0	6,0	64,0	6,4	BROWN	200/50		
35	2	60	10 CL2-D38	7,6	19,0	11,0	25,5	10,0	78,5	10,5	BROWN	100/50	TN 70 SE	
			12 CL2-DN38	7,6	19,0	11,0	44,5	10,0	97,5	10,5	BROWN	100/50		
			12 CL2-DN	7,6	21,0	14,0	44,5	12,0	102,5	13,2	BROWN	100/50		
50	1/0	75	10 CL1-D14	8,9	17,0	7,0	16,0	6,0	63,0	6,4	GREEN	200/50	TN 120 SE	
			6 CL1-D141	8,9	17,0	7,0	19,0	6,0	66,0	6,4	GREEN	200/50		
			10 CL1-D38	8,9	19,0	11,0	25,5	10,0	80,5	10,5	GREEN	100/25		
50	1/0	100	12 CL1-DN	8,9	21,0	14,0	44,5	12,0	104,5	13,2	GREEN	100/25	TN 120 SE	
			6 CL1/O-D14	10,0	19,0	7,9	16,0	7,0	68,0	6,4	PINK	100/25		
			6 CL1/O-D141	10,0	19,0	7,9	19,0	7,0	71,0	6,4	PINK	100/25		
70	2/0	125	10 CL1/O-D38	10,0	20,0	10,9	25,5	10,0	83,5	10,5	PINK	100/25	TN 120 SE	
			12 CL1/O-DN	10,0	21,0	14,0	44,5	12,0	107,5	13,2	PINK	100/25		
			6 CL2/O-D14	11,3	21,0	7,8	16,0	7,0	76,0	6,4	BLACK	60/30		
70	2/0	125	6 CL2/O-D141	11,3	21,0	7,8	19,0	7,0	79,0	6,4	BLACK	60/30	TN 120 SE	
			10 CL2/O-D38	11,3	21,0	11,0	25,5	10,0	91,5	10,5	BLACK	60/30		
			12 CL2/O-DN	11,3	22,0	14,0	44,5	12,0	115,5	13,2	BLACK	60/30		
95	3/0	150	6 CL3/O-D141	12,4	23,3	8,0	19,0	7,0	82,0	6,4	ORANGE	60/30	TN 120 SE	
			10 CL3/O-D38	12,4	23,3	11,0	25,5	10,0	94,5	10,5	ORANGE	60/30		
			12 CL3/O-DN	12,4	24,0	14,0	44,5	12,0	118,5	13,2	ORANGE	60/30		
120	250 MCM	200	6 CL4/O-D141	13,5	25,0	13,0	19,0	11,0	94,0	6,4	PURPLE	50/25	TN 120 SE	
			10 CL4/O-D38	13,5	25,0	11,0	25,5	10,0	97,5	10,5	PURPLE	50/25		
			10 CL4/O-DN38	13,5	25,0	11,0	44,5	10,0	116,5	10,5	PURPLE	50/25		
120	250 MCM	250	12 CL4/O-DN	13,5	25,0	14,0	44,5	12,0	121,5	13,2	PURPLE	50/25	TN 120 SE	
			10 CL250-D38	15,2	28,5	11,0	25,5	10,0	103,0	10,5	YELLOW	40/20		
			12 CL250-DN	15,2	28,5	14,0	44,5	12,0	127,0	13,2	YELLOW	40/20		
150	300 MCM	300	10 CL300-D38	16,7	31,5	13,0	25,5	11,0	116,0	10,5	WHITE	30/15	TN 120 SE	
			12 CL300-DN	16,7	31,5	16,0	44,5	14,0	141,0	13,2	WHITE	30/15		
			6 CL350-D141	17,6	33,0	13,0	19,0	11,0	109,5	6,4	RED	30/15		
185	350 MCM	350	10 CL350-D38	17,6	33,0	13,0	25,5	11,0	116,0	10,5	RED	30/15	TN 120 SE	
			12 CL350-DN	17,6	33,0	16,0	44,5	14,0	141,0	13,2	RED	30/15		
			6 CL400-D141	19,2	35,5	13,0	19,0	11,0	118,5	6,4	BLUE	20/10		
240	500 MCM	400	10 CL400-D38	19,2	35,5	13,0	25,5	11,0	125,0	10,5	BLUE	20/10	TN 120 SE	
			12 CL400-DN	19,2	35,5	16,0	44,5	14,0	150,0	13,2	BLUE	20/10		
			6 CL500-D141	21,1	39,0	13,0	19,0	11,0	119,5	6,4	BROWN	20/10		
300	600 MCM	750	10 CL500-D38	21,1	39,0	13,0	25,5	11,0	126,0	10,5	BROWN	10/5	TN 120 SE	
			12 CL500-DN	21,1	39,0	16,0	44,5	14,0	151,0	13,2	BROWN	10/5		
			10 CL600-D38	23,7	44,0	20,0	25,5	11,0	149,5	10,5	GREEN	20/5		
300	750 MCM	750	12 CL600-DN	23,7	44,0	20,0	44,5	14,0	171,5	13,2	GREEN	20/5	TN 120 SE	
			10 CL750-DN38	26,0	48,0	20,0	44,5	11,0	173,5	10,5	BLACK	15/5		
			10 CL750-D38	26,0	48,0	20,0	25,5	11,0	154,5	10,5	BLACK	15/5		
300	750 MCM	750	12 CL750-DN	26,0	48,0	20,0	44,5	14,0	176,5	13,2	BLACK	15/5	TN 120 SE	

CL series lugs are manufactured from electrolytic Copper tube.

The dimensions of the tube are designed to obtain the most efficient electrical conductivity and mechanical strength to resist vibration and pull out.

Cembre lugs are annealed to guarantee optimum ductility, an absolute necessity for connectors which will have to withstand the severe deformation arising when compressed and any bending of the palm during installation.

In applications subject to vibration, terminals have to perform a reliable connection, the annealing process plays a vital role in avoiding cracking or breaks between the barrel and palm.

The barrel length has been designed to allow easy and accurate positioning of the dies during the crimping operation.

Lugs are electrolytically tinned to avoid oxidation.

The tongue is clearly marked with wire size and die index for Cembre tools.

UL listed for US and Canada per UL486A up to 35 KV.

CL series lugs are an important part of Cembre crimping systems for power carrying conductors. Details of the appropriate crimping tools and dies are shown on page 204.

Cembre technicians are available to provide technical advice as required.

Please consult Cembre for products not listed.

Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, [click on the green button.](#)

Product	Code	Reference	Product link
LEGEND MG-PTSA 15101 (50X30 BK)	4116929	15101	Buy on EAN
TAG MG-TDM-01 40141 (4X16 YE)	4101831	40141	Buy on EAN
PLATE MG2-VRT-AH 88919 (50X140 WH)	4117838	88919	Buy on EAN
1891 O-RING	3016430	1891	Buy on EAN
1500.13 Pg SPIRALBLOCK CABLE GLAND	3002025	1500.13	Buy on EAN
HOLDER PM-DT 55010 (12 TR)	4010520	55010	Buy on EAN
1414 BSP LOCKNUT WITHOUT COLLAR	3005630	1414	Buy on EAN
CAST RESIN CABLE JOINT N13	2581314	N13	Buy on EAN