



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

MC612PA U2 (x100) Vertical



General Information	
Extended Product Type:	MC612PA U2 (x100) Vertical
Product ID:	1SNK158112R0000
EAN:	3472591581126
Catalog Description:	MC612PA Terminal Block Markers pre-printed : U2 (x100) Vertical
ong Description:	MC612PA Terminal Block Markers pre-printed : U2 (x100) Vertical
Categories	
Products » Low Voltage Products a	nd Systems » Connection Devices » Markers and Marking Systems » Terminal Block
Markers	
Drdering	
Minimum Order Quantity:	1 piece
Customs Tariff Number:	39269097
Color:	White
Dimensions	
Product Net Height:	12 mm
Product Net Length:	5.6 mm
Product Net Depth:	5.6 mm
Product Net Weight:	11 g
Product Net Weight:	6 mm
echnical	
Spacing:	6 mm
	Pre-printed marker card
Function:	
Function: Insulation Material:	Pre-printed marker card
Function: Insulation Material: Fechnical UL/CSA	Pre-printed marker card Polyamide
Function: Insulation Material: Fechnical UL/CSA	Pre-printed marker card
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94:	Pre-printed marker card Polyamide
Function: Insulation Material: echnical UL/CSA Flammability According to UL94: Environmental	Pre-printed marker card Polyamide
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status:	Pre-printed marker card Polyamide V2
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C
Function: Insulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Pocument Number) 1SND225156C1000
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C
Function: nsulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Pocument Number) 1SND225156C1000 1SND230504F0204
Function: nsulation Material: Technical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications E-nummer:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Pocument Number) 1SND225156C1000 1SND230504F0204 2967754
Function: nsulation Material: <u>echnical UL/CSA</u> Flammability According to UL94: <u>Environmental</u> RoHS Status: Ambient Air Temperature: <u>Certificates and Declarations (D</u> Declaration of Conformity - CE: RoHS Information: <u>Classifications</u> E-nummer: ETIM 4:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967754 EC000761 - Labelling for terminal block
Function: nsulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5:	Pre-printed marker card Polyamide V2 V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967754 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967754 EC000761 - Labelling for terminal block
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code:	Pre-printed marker card Polyamide V2 V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967754 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information	Pre-printed marker card Polyamide V2 V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967754 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Pocument Number) 1SND225156C1000 1SND230504F0204 2967754 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X
Function: Insulation Material: Technical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Pocument Number) 1SND225156C1000 1SND230504F0204 2967754 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X
Function: Insulation Material: <u>Fechnical UL/CSA</u> Flammability According to UL94: <u>Environmental</u> RoHS Status: Ambient Air Temperature: <u>Certificates and Declarations (D</u> Declaration of Conformity - CE: RoHS Information: <u>Classifications</u> E-nummer: ETIM 4: ETIM 5: Object Classification Code: <u>Container Information</u> Package Level 1 Width: Package Level 1 Length: Package Level 1 Gross Weight:	Pre-printed marker card Polyamide V2 V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Pocument Number) 1SND225156C1000 1SND2230504F0204 2967754 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length: Package Level 1 Gross Weight: Package Level 1 EAN:	Pre-printed marker card Polyamide V2 V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Pocument Number) 1SND225156C1000 1SND2230504F0204 2967754 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm 0.011 kg
Spacing: Function: Insulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length: Package Level 1 Gross Weight: Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units:	Pre-printed marker card Polyamide V2 V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C bocument Number) 1SND225156C1000 1SND230504F0204 2967754 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm 0.011 kg 3472591581126







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
MC612PA Terminal Block Markers pre- printed : U2 (x100) Vertical	1SNK158112R0000	MC612PA (V/ texto)	Buy on EAN