



Automatización Eléctrica Especialistas en Automatización

At the end of this document you will find links to products related to this catalog. You can go directly to our shop by clicking <u>HERE</u>

MC812PA K (x100) Vertical



General Information	MC912DA K (v(100)) (ortical		
Extended Product Type: Product ID:	MC812PA K (x100) Vertical 1SNK166112R0000		
Froduct ID:	3472591661125		
Catalog Description:	MC812PA Terminal Block Markers pre-printed : K (x100) Vertical MC812PA Terminal Block Markers pre-printed : K (x100) Vertical		
Long Description:	MC812PA Terminal Block Markers pre-printed : K (x 100) Vertical		
Categories			
Products » Low Voltage Products a	nd Systems » Connection Devices » Markers and Marking Systems » Terminal Block		
Markers			
Ordoring			
Ordering Minimum Order Quantity:	1 piece		
Customs Tariff Number:	39269097		
Color:	White		
	VVIIIC		
Dimensions			
Product Net Height:	12 mm		
Product Net Length:	7.6 mm		
Product Net Depth:	7.6 mm		
Product Net Weight:	14 g		
Product Net Width:	8 mm		
echnical			
Spacing:	8 mm		
	Pre-printed marker card		
Function:			
Function: Insulation Material:	Pre-printed marker card		
Function: Insulation Material: Fechnical UL/CSA	Pre-printed marker card Polyamide		
Function: Insulation Material: Fechnical UL/CSA	Pre-printed marker card		
Function: Insulation Material: Technical UL/CSA Flammability According to UL94:	Pre-printed marker card Polyamide		
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental	Pre-printed marker card Polyamide V2		
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment		
Function: Insulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C		
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment		
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C		
Function: Insulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C		
Function: Insulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C		
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000		
Function: nsulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000		
Function: nsulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000		
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204		
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967871		
Function: Insulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967871 EC000761 - Labelling for terminal block		
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967871 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block		
Function: nsulation Material: Fechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Diject Classification Code: Container Information	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967871 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X		
Function: nsulation Material: rechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Dbject Classification Code: Container Information Package Level 1 Width:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967871 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm		
Function: nsulation Material: rechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Dbject Classification Code: Container Information Package Level 1 Width: Package Level 1 Length:	Pre-printed marker card Polyamide V2 V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967871 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm		
Function: Insulation Material: Technical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length: Package Level 1 Gross Weight:	Pre-printed marker card Polyamide V2 V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967871 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm 0.014 kg		
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (D Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length: Package Level 1 Gross Weight: Package Level 1 EAN:	Pre-printed marker card Polyamide V2 V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967871 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm		
Function: Insulation Material: Cechnical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 Length: Package Level 1 Gross Weight: Package Level 1 EAN: Package Level 2 Units:	Pre-printed marker card Polyamide V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967871 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm 0.014 kg 3472591661125 400 piece		
Spacing: Function: Insulation Material: Technical UL/CSA Flammability According to UL94: Environmental RoHS Status: Ambient Air Temperature: Certificates and Declarations (E Declaration of Conformity - CE: RoHS Information: Classifications E-nummer: ETIM 4: ETIM 5: Object Classification Code: Container Information Package Level 1 Width: Package Level 1 EAN: Package Level 1 EAN: Package Level 2 Units: Package Level 3 Units:	Pre-printed marker card Polyamide V2 V2 Following EU Directive 2002/95/EC August 18, 2005 and amendment Operation -55 +110 °C Storage -55 +110 °C Document Number) 1SND225156C1000 1SND230504F0204 2967871 EC000761 - Labelling for terminal block EC000761 - Labelling for terminal block X 120 mm 200 mm 0.014 kg 3472591661125		







Below is a list of articles with direct links to our shop Electric Automation Network where you can see:

- Quote per purchase volume in real time.
- Online documentation and datasheets of all products.
- Estimated delivery time enquiry in real time.
- Logistics systems for the shipment of materials almost anywhere in the world.
- Purchasing management, order record and tracking of shipments.

To access the product, <u>click on the green button</u>.

Product	Code	Reference	Product link
MC812PA Terminal Block Markers pre- printed : K (x100) Vertical	1SNK166112R0000	MC812PA (V/ letra)	Buy on EAN