


SILVYN® COMPACT PG

Nickel-plated brass fitting with space-saving dimensions in various designs

SILVYN® COMPACT PG - nickel-plated brass conduit fitting with polished surface that offers IP67 protection

Info

Space-saving due to compact dimensions.



Mechanical resistance



Low weight



Space requirement



Robust



Temperature-resistant

Benefits

Space-saving application
For high mechanical stress
High tensile strength
Corrosion-resistant

Application range

In combination with protective conduit:
Suitable for SILVYN® HTDL/EF/OR/HCX/HFX
Mechanical engineering
Railway applications

Last Update (02.06.2023)

©2023 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02_03.16

SILVYN® COMPACT PG

Product Make-up

PG connection thread
Hexagonal collar
Threaded sleeve
Cap nut

Technical Data

Classification ETIM 5:	ETIM 5.0 Class-ID: EC001180 ETIM 5.0 Class-Description: Screw connection for protective metallic hose
Classification ETIM 6:	ETIM 6.0 Class-ID: EC001180 ETIM 6.0 Class-Description: Screw connection for protective metallic hose
Norm references / Approvals:	UL 514B
Material:	Body: nickel-plated brass Sealing: polyamide O-ring: NBR
Protection rating:	IP 67
Temperature range:	-45°C to +105°C

Note

* Trade product, no Lapp product

Photographs and graphics are not to scale and do not represent detailed images of the respective products.
Prices are net prices without VAT and surcharges. Sale to business customers only.

SILVYN® COMPACT PG

Article number	PG size	Suitable for SILVYN® HTDL/EF/OR/HCX/HFX	Suitable for SILVYN® HIPROJACKET	Pieces / PU
SILVYN® COMPACT PG				
61803816	11	3/8"	13	10
61803817	13.5	3/8"	-	10
61803818	16	1/2"	16	10
61803819	21	3/4"	22	5
61803820	29	1"	25	5
61803821	36	1 1/4"	35	2
61803822	42	1 1/2"	38	2
61803823	48	2"	51	2
SILVYN® COMPACT 90° PG				
61803824	11	3/8"	13	10
61803825	13.5	3/8"	-	10
61803826	16	1/2"	16	10
61803827	21	3/4"	22	5
61803828	29	1"	25	5
61803829	36	1 1/4"	35	2
61803830	42	1 1/2"	38	2
61803831	48	2"	51	2

Last Update (02.06.2023)

©2023 Lapp Group - Technical changes reserved

 Product Management www.lappkabel.de

 You can find the current technical data in the corresponding data sheet.
 PN 0456 / 02_03_16