

PRODUCT-DETAILS

TSA/K24.2

TSA/K24.2 Thermoelectric Valve Drive, 24 V



General Information	
Extended Product Type	TSA/K24.2
Product ID	2CDG120050R0011
EAN	4016779950688
Catalog Description	TSA/K24.2 Thermoelectric Valve Drive, 24 V
Long Description	The Thermoelectric Valve Drives TSA/K are suited for opening and closing valves in Heating, Ventilating and Air-Conditioning (HVAC) systems. The devices are normally closed available in 230 V AC and 24 V AC/DC with pluggable connecting cable. The shapely housing protects the device against splash water. The device is especially suited to control radiators, converter heaters and cooling ceilings for single room temperature controlling. The valve drive can be controlled with the Electronic Switch Actuator ES/S or with the Electronic Relay ER/U in combination with the Universal Interface US/U and a Room Thermostat. The easy and quick snap-on mounting on all common valves occurs via Valve Adapters VA/Z.

Installation	
Instructions and	9AKK2017-108777
Manuals	

Technical	
Data Sheet, Technical	2CDC508159D0201

TSA/K24.2 2

Information	
Rated Voltage (U _r)	24 V AC
Power Loss	1 W
Product Range	KNX free@home
Mounting Type	Built-in
Manual Operation	No
Color	white
Number of Batteries	0
Application Function	Room Climate Control

Environmental	
Degree of Protection	IP54
RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	2CDK508155D2702
REACH Declaration	9AKK108468A9644
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions	
Product Net Width	44.4 mm
Product Net Height	52.1 mm
Product Net Depth / Length	58.4 mm
Product Net Weight	0.104 kg

Certificates and Declarations	
Declaration of	2CDK508155D2702
Conformity - CE	

Classifications	
ETIM 8	EC000792 - Actuating drive for bus system
ETIM 9	EC000792 - Actuating drive for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8479 89 97
eClass	V11.0 : 27143135
Object Classification Code	A

Accessories

TSA/K24.2 3

Identifier	Description	Type Quantity		Unit Of Measure
2CDG110058R0011	ES/S4.1.2.1 Electrical Switch Actuator, 4-fold, 1 A, MDRC	ES/S 4.1.2.1	1	piece
2CDG110059R0011	ES/S8.1.2.1 Electrical Switch Actuator, 8-fold, 1 A, MDRC	ES/S8.1.2.1	1	piece
2CDG110116R0011	VAA/S6.230.2.1 Valve Drive Actuator, 6-fold, 230 V, MDRC	VAA/S 6.230.2.1	1	piece
2CDG110117R0011	VAA/S12.230.2.1 Valve Drive Actuator, 12-fold, 230 V, MDRC	VAA/S 12.230.2.1	1	piece
2CDG110209R0011	FCC/S1.4.1.1 Fan Coil Controller, PWM, 3-stage, MDRC	FCC/S1.4.1.1	1	piece
2CDG110210R0011	FCC/S1.1.1.1 Fan Coil Controller, 2 x PWM, 3- stage, MDRC	FCC/S1.1.1.1	1	piece
2CDG110211R0011	FCC/S1.1.2.1 Fan Coil Controller, 2 x PWM, Manual Operation, 3-stage, MDRC	FCC/S1.1.2.1	1	piece
2CDG110216R0011	VC/S4.1.1 Valve Drive Controller, 4-fold, MDRC	VC/S4.1.1	1	piece
2CDG110217R0011	VC/S4.2.1 Valve Drive Controller, 4-fold, Manual Operation, MDRC	VC/S4.2.1	1	piece
2CDG110234R0011	FCC/S1.5.1.1 Fan Coil Controller, 2 x PWM, 0-10 V, MDRC	FCC/S1.5.1.1	1	piece
2CDG110235R0011	FCC/S1.5.2.1 Fan Coil Controller, 2 x PWM, 0-10 V, Manual Operation, MDRC	FCC/S1.5.2.1	1	piece
2CDG120009R0011	VA/Z10.1 Valve Adapter, M 30 x 1.5, for Dumser, Chronatherm, Vescal, KaMo	VA/Z10.1	1	piece
2CDG120010R0011	VA/Z50.1 Valve Adapter, M 30 x 1.5, for Honeywell, Reich, Cazzaniga, Landis+Gyr, MNG	VA/Z50.1	1	piece
2CDG120011R0011	VA/Z78.1 Valve Adapter, Flange, for Danfoss RA	VA/Z78.1	1	piece
2CDG120012R0011	VA/Z80.1 Valve Adapter, M 30 x 1.5, for Heimeier, Herb, Onda, Schlösser, Oventrop	VA/Z80.1	1	piece
2CDG120061R0011	VAA/A6.24.2 Floor Heating Controller, 6-fold, SM	VAA/A6.24.2	1	piece

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow free@home \rightarrow Heating,\ Ventilation\ and\ Air\ Conditioning \rightarrow Thermoelectric\ Valve\ Drives$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow Heating,\ Ventilation\ and\ Air\ Conditioning \rightarrow Thermoelectric\ Valve\ Drives$

TSA/K24.2 4

