

PRODUCT-DETAILS

BA-M-4.230.1.1

BA-M-4.230.1.1 Blind Actuator, 4-fold 230 V, MDRC



General Information

Extended Product Type	BA-M-4.230.1.1
Product ID	2CDG510028R0011
EAN	4053546111347
Catalog Description	BA-M-4.230.1.1 Blind Actuator, 4-fold 230 V, MDRC
Long Description	For controlling 4 independent blind or roller shutter drives. The bus can be connected via enclosed terminal block.

Installation

Instructions and Manuals	2CDG941251P0001
Instructions and Manuals (Part 2)	2CDG941252P0001

Technical

Data Sheet, Technical Information	2CKA001373B5408
Data Sheet, Technical Information (Part 2)	2CKA001473B5408
Current Type	AC/DC

Special Functions	Switching
Voltage Range	110 ... 230 V AC
Output Voltage (U _{out})	230 V AC
Rated Current (I _n)	6 A
Maximum Switching Current	6 A
Maximum Switching Power	1200 W
Power Loss	1.5 W
Number of Outputs	4
Number of LEDs	1
Compatible Bus Systems	free@home (TP)
Mounting Type	DIN-Rail
Manual Operation	No
Color	grey
Number of Batteries	0
Application Function	Blind / Shutter / Shading Control

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU
RoHS Information	2CKA200000E7788
REACH Declaration	9AKK108468A9644
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	4
Product Net Width	70 mm
Product Net Height	90 mm
Product Net Depth / Length	63.5 mm
Product Net Weight	0.272 kg
Built-In Depth (t ₂)	63.5 mm
Dimension Diagram	2CDC072033F0015

Certificates and Declarations

Declaration of Conformity - CE	9AKK108467A6039
--------------------------------	-----------------

Classifications

ETIM 8	EC001330 - Shutting actuator for bus system
ETIM 9	EC001330 - Shutting actuator for bus system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8537 10 91
eClass	V11.0 : 27143128

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → free@home → Shading Control → Blind Actuators 230 V AC

