

PRODUCT-DETAILS

# N2135 BL

## Socket outlet EU/US 2P White - Zenit



### General Information

Extended Product Type	N2135 BL
Product ID	2CLA213501N1101
EAN	8427238187969
Catalog Description	Socket outlet EU/US 2P White - Zenit
Long Description	Color: White. Rated voltage: 125 / 250 Vac Rated current: 15 / 16A Type A+C: 2P / NEMA 1-15R (non-earthed) Screw terminals Size: 1 module.

### Installation

Instructions and Manuals	2CLX210109N1001
--------------------------	-----------------

### Technical

Data Sheet, Technical Information	9AKK10103A5108
Rated Voltage ( $U_r$ )	250 V
Rated Current ( $I_n$ )	16 A

Frequency (f)	50...60 Hz
Number of Phases	2
Number of Active Pin Terminals	0
Number of Gangs	1
Design Range	Zenit
Connection Type	Screw
Mounting Type	Flush Mounted
Socket Outlet Type	Power Socket Outlets - Italian P11/17 acc. to CEI 23-50
Type of Fastening	Snapper Mounting
Surface Finishing	Untreated Glossy
Material	Plastic Thermoplastic
Label Space Provided	No
Legend	Without imprint
RAL Number	RAL 9010 - Pure White
Color	White
Number of Batteries	0

## Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Information	2CLC213501N1101
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Product Net Width	22 mm
Product Net Height	44 mm

## Ordering

Replaced Product ID (OLD)	2CLA213501N1102 2CLA213501N1103
---------------------------	------------------------------------

## Certificates and Declarations

Declaration of Conformity - CE	9AKK107046A9871
--------------------------------	-----------------

## Classifications

ETIM 8	EC000125 - Socket outlet
ETIM 9	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

---

## Categories

---

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Socket Outlets

