Product Technical Sheet

24 Feb 2022 15:14





205.A33-DDPILLAR BE-A

Type 2 3P+N+E 32A 400V~ 22kW 63A 400V 3P+N+E IP54 IK10

Product Approvals

| TECHDATA | | STANDARDS | AND LAWS |
|-------------------------|---------------------------------|---|--|
| Commercial series | BE-A Series | IEC 61439-7 (2018) | [International Standard] Low-voltage switchgear and controlgear assemblies - Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle |
| Type of product | PILLAR BE-A | | |
| Synthetical description | PILLAR BE-A | EN 150 04054 4 | charging stations |
| Material | VARNISHED METAL | EN IEC 61851-1 (2019) | [European Standard] Electric vehicle conductive charging system - Part 1: General requirements |
| EV standard | Type 2 3P+N+E 32A 400V~ 22kW | DIRECTIVE LOW VOLTAGE 2014/35 /UE | [European Directives] Low Voltage Directive |
| Rated current | 63A | DIRECTIVE EMC 2014/30/UE | [European Directives] Electromagnetic Compatibility Directive |
| Rated voltage | 400V | | |
| Working frequency | 50/60Hz | | |
| Poles | 3P+N+E | | |
| Protection degree IP | IP54 | | |
| Working temperature | -30°C/+50°C | | |
| Protection degree IK | IK10 | | |
| Colour | BRONZE | | |
| Mounting version | ON TURRET | | |
| Dimensions | 220x1466x300mm | | |