

Adapter for screw mounting



General technical data		
Product brand name		SIRIUS
Product designation		adapter for screw fixing
Protection class IP		IP20
Relative humidity during operation	%	10 ... 90
Ambient temperature		
• during transport	°C	-55 ... +80
• during storage	°C	-55 ... +80
• during operation	°C	-20 ... +60
Reference code acc. to DIN EN 61346-2		U
Reference code acc. to DIN 40719 extended according to IEC 204-2 acc. to IEC 750		U
Installation/ mounting/ dimensions		
Width	mm	26
Height	mm	23
Depth	mm	45
Certificates/ approvals		
Certificate of suitability		IEC / EN 60947-6-2

## General Product Approval



CSA



UL



RCM



EG-Konf.

[Miscellaneous](#)

## Shipping Approval



ABS



BUREAU  
VERITAS



LRS



PRS



RINA



RMRS

## other

[Confirmation](#)

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3RA6940-0A>

### Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3RA6940-0A>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3RA6940-0A>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3RA6940-0A&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3RA6940-0A&lang=en)



last modified:

04/07/2020