

Auxiliary current switch with 2 NO contacts for 230 V/400 V AC for 5TT58 and 5TT50



Model	
product brand name	SENTRON
Product designation	Auxiliary current switch
Design of the product	Mountable
Supply voltage	
Operating voltage	
• rated value	230 V
Product details	
Number of fault signal contacts	0
Number of NC contacts	0
Number of NO contacts	2
Number of CO contacts	0
Product extension	Auxiliary current switch
Mechanical Design	
net weight	41 g
Certificates	

General Product Approval	Declaration of Conformity	other
--------------------------	---------------------------	-------



[Miscellaneous](#)



[Environmental Confirmations](#)

### Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TT5910-0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/5TT5910-0>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=5TT5910-0](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT5910-0)

**CAx-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



