

Quartz time switch Day 1 change-over contact 230V/50-60Hz  
Surface-mounting



Model	
product brand name	SENTRON
Product designation	Timers
Design of the product	Day
Design of the switching function	CO contact
General technical data	
Manner of function	
• line-synchronous	No
• quartz-controlled	Yes
Accuracy / per day	2.5 s
Shortest switching time interval / of channel 1	30 min
Supply voltage	
Supply voltage / initial value	230 V
Supply voltage / Full-scale value	230 V
Type of voltage / of the supply voltage	AC
supply voltage frequency	
• minimum	50 Hz
• maximum	50 Hz

## Protection class

Protection class IP	IP20
---------------------	------

## Switching capacity

Switching capacity current / at AC / at 250 V / Rated value	16 A
---	------

## Product details

Product feature / floating switching contact	Yes
--	-----

## Product function

Product function	
• 60 min time program	No
• Automatic daylight-saving adjustment	No
• direct operation	Yes
• annual time program	No
• Switching preselection	Yes
• 24-hour time program	Yes
• Weekly time program	No

## Number

number of channels	1
--------------------	---

## Mechanical Design

Height	110 mm
Width	69 mm
Depth	34 mm
Mounting type	others
net weight	205 g

## Certificates

• reference code / acc. to DIN EN 61346-2	K
• Reference code / acc. to DIN EN 81346-2	K

<b>General Product Approval</b>	<b>Declaration of Conformity</b>	<b>other</b>
---------------------------------	----------------------------------	--------------



VDE



EG-Konf.

[Environmental Confirmations](#)

## Further information

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7LF5305-0>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/7LF5305-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=7LF5305-0](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7LF5305-0)

CAx-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>

