

Accessory for 3KD size 5 door-coupling rotary operating mechanism
Handle, yellow/red without shaft and coupling Can be locked in OFF position



Versão	
nome da marca do produto	SETRON
designação do produto	Acessórios para interruptor-seccionador
execução do produto	Acionamento giratório do acoplamento da porta
execução do acionamento de comutação	ACCIONAMENTO MANUAL
classe de proteção IP / na parte frontal	IP65

Adequação	
aptidão para utilização	para 3KD, tamanho 5

Aparência	
cor / do elemento de acionamento	vermelho/amarelo

Detalhes do produto	
descrição do produto	PEGA SEM ACIONAMENTO E DISPOSITIVO DE ARRASTAMENTO DO ACOPLAMENTO
<ul style="list-style-type: none">função do produto / bloqueável na posição DESLIGADO	Sim
<ul style="list-style-type: none">equipamento do produto / bloqueio	Sim
versão do visor / para posição de comutação	ON-OFF

Projeto mecânico	
------------------	--

altura	100 mm
largura	250 mm
profundidade	89,5 mm
peso líquido	522 g

Certificados

General Product Approval	Declaration of Conformity	Shipping Approval	other
Miscellaneous	 EG-Konf.	 LRS	Miscellaneous

Outras informações

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3KD9515-4>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3KD9515-4>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KD9515-4

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



